

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1058	position same receptacle same recessed same housing	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/07 10:24
L2	0	position same receptacle same recessed same housing and "358"/\$.ccls.	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/07 10:29
L3	0	position same receptacle same recessed same housing and "271"/\$.ccls.	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/07 10:29
L4	1	position same receptacle same recessed same housing and "378"/\$.ccls.	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/07 10:30
L5	17	position same receptacle same recessed same housing and "414"/\$.ccls.	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/07 10:30
L6	1	position same receptacle same recessed same housing and "269"/\$.ccls.	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/07 10:30
L7	3	position same receptacle same recessed same housing and "369"/\$.ccls.	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/07 10:30
L8	25	position same receptacle same recessed same housing and "248"/\$.ccls.	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/07 10:30
L9	32	position same receptacle same recessed same housing and "312"/\$.ccls.	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/07 10:30
L10	23	position same receptacle same recessed same housing and "361"/\$.ccls.	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/07 10:30
L11	9	position same receptacle same recessed same housing and "40"/\$.ccls.	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/07 10:30

L12	100	4 or 5 or 6 or 7 or 8 or 9 or 10 or 11	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/07 10:50
L13	224	digitizer with housing	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/07 10:50
L14	0	digitizer with housing with scanning adj window	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/07 10:50
L15	0	digitizer with housing same scanning adj window	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/07 10:50
L16	0	digitizer with housing near scanning adj window	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/07 10:50
L17	1	digitizer with housing and scanning adj window	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/07 10:52
L18	0	digitizer same housing same scanning adj window	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/07 10:52
L19	1	digitizer same housing and scanning adj window	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/07 10:53
L20	29	digitizer and housing and scanning adj window	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/07 11:44
L21	1	digitizer with scanning adj window	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/07 12:05
L22	0	suction adj plate and vacuum adj cylinder and suction adj pump	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/07 12:05
L23	3	suction adj plate and vacuum with cylinder and suction adj pump	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/07 12:06

S1	430	switch same clip same suction	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/02 11:19
S2	101	switch same clip same suction same (disengage release drop)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/02 11:20
S3	6	switch same clip same suction same (disengage release drop) same media	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/02 11:21
S4	9	switch same clip same suction same (disengage)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/02 11:21
S5	17	switch with clip with suction	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/02 11:22
S6	5	("3891850" "3991317" "4199687").PN. OR ("4495634").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/06/02 11:57
S7	1109	suction same perforated adj plate	US-PGPUB; USPAT; USOCR	OR	OFF	2004/06/02 11:57
S8	106	suction same perforated adj plate and suction adj pump	US-PGPUB; USPAT; USOCR	OR	OFF	2004/06/02 14:05
S9	125	suction same perforated adj plate and suction adj pump	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/02 11:57
S10	78	suction same perforated adj plate same suction adj pump	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/02 11:58
S11	6	suction same perforated adj plate same suction adj pump same receptacle	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/02 11:59
S12	4	suction adj chamber same perforated adj plate same suction adj pump	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/02 12:00
S13	46	suction adj chamber with perforated adj plate	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/02 12:01

S14	0	suction adj chamber with perforated adj plate with receptacle	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/02 12:02
S15	2	suction adj chamber with perforated adj plate same receptacle	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/02 12:19
S16	23	suction adj chamber with perforated adj plate same (expos\$3 display\$3 show\$3 reveal\$3)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/02 12:20
S17	903	suction same perforated adj plate same (expos\$3 display\$3 show\$3 reveal\$3)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/02 12:20
S18	20	("1435205" "2859964" "3193281" "3226108" "3265383" "3501138" "3610577" "3614089" "3659838" "3674367").PN. OR ("4280691").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/06/02 14:00
S19	397	suction adj chamber same suction adj pump	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/03 13:30
S20	15	suction adj chamber same suction adj pump same receptacle	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/03 13:31
S21	15	(suction adj chamber) same (suction adj pump) same receptacle	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 13:37
S22	0	heather-d-gibbs.xa.	USPAT	OR	OFF	2004/06/04 10:58
S23	35	gibbs.xa	USPAT	OR	OFF	2004/06/04 12:53
S24	1598	perforated adj plate same suction	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 12:54
S25	76	perforated adj plate same suction same receptacle	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 13:11
S26	0	perforated adj plate same suction same receptacle and x-ray	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 13:10
S27	0	perforated adj plate same suction same receptacle and (x-ray x adj ray)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 13:28

S28	0	autofeeder adj x-ray	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 13:10
S29	0	autofeeder same x-ray	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 13:10
S30	3	perforated adj plate same suction same receptacle and scann\$3	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 13:21
S31	16347	perforated adj plate same (portion region section part)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 13:21
S32	1129	perforated adj plate same (portion region section part) same suction	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 13:22
S33	454	(perforated adj plate) same (portion region section part) same suction with (chamber pump)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 13:32
S34	454	(perforated adj plate) same (portion region section part) same (suction with (chamber pump))	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 13:32
S35	397	(suction adj chamber) same (suction adj pump)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 13:37
S36	218	(suction adj chamber) with (suction adj pump)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 13:37
S37	0	(suction adj chamber) with (suction adj pump) with x-ray	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 13:37
S38	46	(suction adj chamber) with perforated adj plate	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 14:06
S39	73	light adj box same receptacle	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 14:07

S40	1	light adj box same receptacle with clip	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 14:07
S41	992	light adj box same position	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 14:08
S42	13	light adj box same position with receptacle	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 14:44
S43	0	translucent adj plate and cold adj cathode adj lamp and recessed with housing	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 14:44
S44	0	translucent adj plate and cold adj cathode adj lamp and recess\$3 with housing	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 14:44
S45	0	translucent adj plate and (cold adj cathode adj lamp) and recess\$3 with housing	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 14:45
S46	0	translucent adj plate and (cold adj cathode adj lamp) and recess\$3	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 14:45
S47	2	translucent adj plate and (cold adj cathode adj lamp)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 14:46
S48	0	translucent adj plate and (thin with cold adj cathode adj lamp)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 14:46
S49	0	translucent adj plate and (thin with cold with cathode adj lamp)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 14:46
S50	1	translucent adj plate and (thin with cold adj cathode same lamp)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 14:47
S51	3	(translucent transparent) adj plate and (thin with cold adj cathode same lamp)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 14:48

S52	3	(translucent transparent) adj plate and (thin with cold with cathode same lamp)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 14:49
S53	235	first adj position same recessed with housing	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 14:49
S54	1512	first adj position same recess\$4 with housing	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 14:53
S55	1512	(first adj position) same (recess\$4 with housing)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 14:53
S56	0	(first adj position) same (recess\$4 with housing) and cathode adj lamp	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 14:54
S57	4	(first adj position) same (recess\$4 with housing) and (translucent transparent) adj plate	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 15:02
S58	2	(first adj position) same (recess\$4 with housing) and (translucent transparent) with plate and lamp	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 15:41
S59	110	light adj box with (translucent transparent) with plate	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 16:04
S60	35	light adj box with (translucent transparent) with plate and housing	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/06/04 16:04